A Three-Plate Casimir Experiment !!!

There is considerable research that suggests the possibility of a so-called Repulsive Casimir Effect in small rectangular cavities that are made of suitable materials! If this is true, then **each** of us can tap into the Ready-Made Energy Grid of the Electromagnetic Quantum Flux for power and propulsion, any time, any place, without *ever* having to pay *anyone* **anything** at all !!!


The cavity **Sides** are like the two plates of Casimir's original experimental proposal. I have merely added a "*third* plate" -----a cavity **Roof** that prevents the other two plates from moving together; now, the first two plates can *continuously* modify the Quantum Flux Composition between them! The surface of the **Ceiling** that lies *inside* the cavity experiences an enhanced quantum-flux radiation-pressure; but the outside surface of the Ceiling----the **Roof** experiences the weaker *ambient* flux that exists outside Cavity Flux Enhancement Zone. Therefore, there is a *continuous net radiation pressure acting toward* the Cavity Roof!!! This net electromagnetic radiation-pressure will power all of our machines and propel all of our vehicles all of the time, everywhere, for free !!!

Cavity Walls

Purple Arrows represent the forces that are acting on the Cavity Walls. These *Purple* Arrows come in pairs that are equal in magnitude <u>and</u> opposite in direction!

 $\triangleright \blacktriangleleft$, $\land \lor$, $\blacktriangleleft \triangleright$

All of these forces cancel out!



Cavity Floor & Roof

Blue Arrows represent the forces that are acting on the *Ceiling* and *Roof* of the Cavity. *These* two Arrows are *opposite in direction,* but are *Not Equal in magnitude !!!*




These Forces do NOT cancel !

The large upward-directed forces that are represented by the large blue arrows overcome the small downward directed forces that are represented by the small blue arrows. This causes an net upward directed force that is directed *toward* the cavity Ceiling!

Total Floor Area Pressures of a Macroscopic Array Of Nanoscopic Holes or grooves

Wall Separations (nm)						Floor Pressures Pa (N/m^2)				
05	2.08E+010		8	3.18E+005		60	1.00E+002		500	2.08E-002
1	1.30E+009		9	1.98E+005			5.42E+001		600	
2	8.14E+007		10	1.30E+005		80	3.18E+001		700	5.42E-003
3	1.61E+007		15	2.57E+004		90	1.98E+001		800	3.18E-003
4	5.09E+006		20	8.14E+003		100	1.30E+001		900	1.98E-003
5	2.08E+006		30	1.61E+003		200	8.14E-001		1000	1.30E-003
6	1.00E+006		40	5.09E+002		300	1.61E-001			
7	5.42E+005		50	2.08E+002		400	5.09E-002			

A Macro-scopic Array of Nano-Scale Holes Or Grooves



the same techniques, materials and equipment that are used in semiconductor manufacturing, along with a wide variety of other nanotechnologies. Assuming that the k/d⁴ holds between 9 and 11 nm. We might very well achieve more than 60 k Pa. Obviously, if we can achieve even a *small* percentage of the *estimated* net force, then we will quickly solve all the energy and transportation problems Worldwide and *throughout the Solar System*.

Many people take one glance at Z-PEC and dismiss it as an impossible "self-moving" object; but this is **not** the case: If the *action* is the movement of Z-PEC in response to the force of the photons of the Quantum Flux hitting it harder in one direction than in another direction, then the *reaction* is found in the *momentum* of the *rebounding* virtual photons! (Newton is happy!!!)

But isn't the Casimir Force an "Attraction" or "Repulsion" *between two separate objects??? Let's adopt some* less-confusing terminology:

I find that I confuse myself when I try to imagine uncharged plates attracting or repelling one-another. Even though I actually **know**-better, I **stop** thinking in **real** terms of the radiation **pressure** of the Electromagnetic Quantum Flux acting on **real objects**. That is, the picture in my head starts lying to me; it says that the two plates are exerting some sort of mysterious force on each-other when in fact, the **photon-flux** is exerting **separate** forces on **each** plate, **independently**!

If we look at each plate in isolation, nothing attractive or repulsive is happening *at all;* we simply have *positive* (*"outward" directed*) flux-**pressure** on *one* side of a given plate that is competing with the *negative* (*"inward" directed*)flux-**pressure** on the *other* side of the *same* plate. In my paradigm, the fact that there even *is* a second plate is relevant *only* from the stand point of calculating the flux-*enhancement* that occurs in the *space* that is located between the two plates!

The very *worst* artifact of assuming that the Casimir Effect consists of *two* **objects** exerting forces **on one-another** is *this*: We have thereby **already** *decided* that there **has** to be a **second** object for the *first* object to be *attracted* to **or** *repelled* from!!! We have *thereby* ruled out *any* possibility of a device such as Z-PEC II being entirely moved by the vacuum flux *without* the use of reaction mass or any other object to help form a Flux Modification Zone!

Some people imagine that the flux will still shoot along the interior length of the cavity and impact both sides of the cavity floor equally; however, they are forgetting that the property we call wavelength can just as aptly be called wave-**width**, as evidenced by diffraction gratings!!! Therefore, the same wavelengths of Quantum-Flux Electromagnetic Radiation will be either enhanced or excluded from the cavity regardless of their orientation!!!

As a whole, Z-PEC will always be in thermodynamic equilibrium---- If needed, a Peltier Device (Electric Heat-Pump-in-a-chip!) can move heat in any desired direction---(**Re-emitted or reflected photons will impart twice as much momentum as absorbed EMR!)** Heat is not the only way the device expels energy that was acquired from the Vacuum: When Z-PEC performs work, that **also** dissipates thermodynamic energy---which re-assimilates into the Quantum Flux and closes the loop! In Space, we can use Solar Energy in Space to create the temperature gradient.

Z-PEC conserves momentum!!! *IZ-PEC doesn't acquire any more momentum from the quantum flux than any other object:* ALL objects are kicked kicked around, back and forth, first by one photon in one direction and then by another photon in yet **another** direction by another photon, in every direction all the time, anyway!!! Z-PEC is accelerated by the same amount of momentum as the first object, but more in one direction more than in the opposite direction!!! (This **same** exact thing happens with one of the plates in the classical Two-Plate experiment!)

As for Entropy, some years back, there was a **Nobel Prize** given for proving that *energetic***asymmetrical** systems can spontaneously give rise to order out of chaos. Each singular **Casimir** Plate is such an **asymmetric**, **energetic** system and so is Z-PEC!!!

The newest semiconductor fabs are currently upgrading to produce *circuits* with details as small as 34 nm. This same technology can be used to make holes or grooves that are "good enough" with wall-separations between 10 and 20 nm. There are also numerous *other* practical methods of fabricating arrays of nanoscopic holes.

William Scott Smith 840 W Cora Ave, B201 Spokane, WA 99205, +509 315 9602 scott712 "at" hotmail "dot" com